

Introducing from CodeMaster

Jet Master

Industrial Inkjet printer



High Performance • High Resolution

- ✓ **Compact**
- ✓ **Easy installation and operation**
- ✓ **No maintenance**

Jetmaster - an easy choice

Available as the standard ST Type, or the vertically mounted SP Type.

The Jetmaster inkjet printer has the technology and the flexibility to meet your printing needs.



Jetmaster uses HP ink with a 42cc cartridge in blue, black or red.

Jetmaster is heavy duty and economically priced.

With a print height of 5 - 13mm, a resolution of 300 DPI, a selection of languages from which to choose, combined with its simplicity of use, Jetmaster becomes an easy choice.



Barcode print is an optional feature available



Specifications

Component Specifications

Controller

Printhead Control Capability	• 1 Printhead (2 Printhead)
Display	• 160 x 80 Pixels • LCD 56 x 30mm. • LCD backlit with auto switch-off
LED Indicators	• 2 Indicators; Ink-low alarm, Print On/Off
Power Supply	• AC 110-240V, 47-63Hz, auto-switch • Power consumption max. 65 watts
Mounting	• Fixed sideways mounting
Measurements	• 110 x 112 x 230 (H x W x D : mm)
Weight	• 1.5 kg

Printhead

'Plug& Print' Print Cartridge	Built-in Hewlett-Packard print engine
Print Directions	Horizontal (standard), and Down (optional for 370cc bulk ink system)
Special Features	• Anti-shock mechanism design • Built-in capping station
Mounting	Fixed sideways mounting
Distance to Print Surface	Not greater than 6mm (0.25")
Print Speed (conveyor)	Max 60 metres/min
Character Height	• 1 line 12.7mm (0.5") (one line) • 2 line 6.0mm (0.25") (one line) • 4 line 6.0 mm (0.25") (optional)

Operation

Operation Menu	Digital Menu Driven (DMD) for quick and easy operation
Language Selection	Standard English, French, Japanese, Korean, Spanish, Swedish, simple and traditional Chinese, Thai (one only)
Printable Images	Alphabets, numbers and logos including date code, time code, expiry date, shift code counter and lot-box code
Messages	5 kinds of international standard barcodes Max. 120 characters per line Max. 100 messages stored

Ink System

Ink Volume and Colours	• 42cc, 370cc compact print cartridge, colours: black, red, blue, green and yellow • Fast drying time for more applications (including porous and some semi-porous substrates)
------------------------------	---

Environment Limit


Operating Conditions	Any normal, non-condensing or harsh environment with a temperature range of 5°C - 40°C (41°F - 104°F)
Body	Stainless steel 304

Warranty

All Equipment	12 Months (not including consumables)
All Labour	90 Days

Dimensions

ST Type



SP Type

